

(संसद के अधिनियम दवारा स्थापित केंद्रीय विश्वविदयालय)

(A Central University established by an Act of Parliament)

कुल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR

नपाम :: तेजपुर - 784028 :: असम

NAPAAM :: TEZPUR - 784028 :: ASSAM

SHORT QUOTATION NOTICE

TU/11-24/Pur/Qtn/2017-18/2054-A dated:-10.08.2017

Sealed quotations are invited from reputed manufacturers/authorized dealers/vendors for supply of Electrical items as per enclosed list required for Tezpur University.

GENERAL TERMS & CONDITIONS:

- 1. No separate tender paper will be issued from the office; one should only download the specifications/List from the website.
- 2. The rates should be quoted on FOR Tezpur University, Napaam basis.
- 3. Quotations should be accompanied by i) An EMD (in the form of Demand Draft/Call Deposit/TDR) of ₹. 20,000/- (Rupees Twenty Thousand) only drawn/pledged in favor of Registrar, Tezpur University, payable at Tezpur. No request for consideration of earlier deposited EMD will be considered. ii) A non-refundable application (quotation) fee of ₹.1000.00 (Rupees One Thousand) only have to be paid only by Demand Draft drawn in favour of Registrar, Tezpur University payable at Tezpur.
- 4. The rates should be exclusive of taxes and applicable tax % should be clearly indicated.
- 5. Quoted rates should be valid at least for a period of 01 year.
- 6. The rates should be quoted along with supporting documents of specifications and technical features and list of users.
- 7. No Advance payment will be made.
- 8. The Guarantee/Warranty of the Electrical items will be as per Company's norms.
- 9. Payment wil be made after receipt of materials at site in full and in good condition.
- 10. Validity of quoted rates will be one year (i.e. from April 2014 to March 2015).
- 11. In case of cables, the supplier shall submit the companies cable Test Report along with the Bill. Inspection from University's end is necessary in case of bulk supply of cables.
- 12. Dealership certificate from the manufacturers is required to be submitted along with the quotation.
- 13. The University reserves the right to accept or reject any or all the quotations without assigning any reason.
- 14. Applications for release of EMD should be submitted to the Registrar/ Deputy Registrar.
- 15. Apart from the above terms and conditions the University has the right to include any other terms and conditions as and when felt necessary.
- 16. Quotation should be submitted in the DROP BOX placed in the reception of the Administrative Building of the University on or before 29.08.2017. If posted/couriered, should reach on or before 29.08.2017 addressed to "The Joint Registrar, Tezpur University". The Quotation Notice No. and date should be clearly superscribed in the envelope/packet containing the quotation

Sd/- Joint Registrar Tezpur University

Enclosure: List of Items



(संसद के अधिनियम द्वारा स्थापित केंद्रीय विश्वविद्यालय)

(A Central University established by an Act of Parliament)

कुल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR नपाम :: तेजपुर - 784028 :: असम

NAPAAM :: TEZPUR - 784028 :: ASSAM

List of Items:

SI. No.	Description of Materials	Unit
1	Switches & Sockets-Anchor make	
а	6A, flush type switch	Each
b	16A , Flush type switch	Each
С	5 pins, 6A flush type socket	Each
d	5 pins, 16A flush type socket	Each
2	1.1KV, single core PVC insulated FRLS copper conductor cable(Anchor, L&T, Havells, Richa, Polycap,Finolex, RR Kabel	
a	1.0 sq.mm	Roll of 90M
b	1.5 sq.mm	Roll of 90M
С	2.5 sq. mm	Roll of 90M
d	4.0 sq. mm	Roll of 90M
е	6.0 sq.mm	Roll of 90M
f	10.0 sq. mm	Roll of 90M
3	1.1 KV single core PVC insulated aluminium conductor cable.(Richa, Anchor, Plaza)	
а	1.5 sq.mm	Roll of 90M
b	2.5 sq.mm	Roll of 90M
С	4.0 sq.mm	Roll of 90M
d	6.0 sq. mm	Roll of 90M
4	Fan Bearing (SKF,TATA)	
а	6201	Each
b	6201-2z	Each
С	6202	Each
d	6202-2z	Each
е	6203	Each
f	6203-2z	Each
5	CFL – Lamps (Philips, Havells, Surya, Bajaj)	
а	15/18/20/23 CFL, ELD (B-22)	Each
b	15 W Spiral CFL, ELD (B-22)	Each
С	25w Deco twist CFL, ELD (B-22)	Each
d	18w 4 pin FP -L, CFL	Each
е	11w 2 pin,11w/SU-865, CFL	Each
f	9w 4 pin, CFL, SU-865	Each
g	13w—WV-F 09 , CFL (2pin)	Each
h	36w PL-L 36/865/4pin CFL	Each
i	T5-14W, 6500K (PHST 27114699)	Each
j	9w 2pin, CFL, SU-865	Each



(संसद के अधिनियम द्वारा स्थापित केंद्रीय विश्वविद्यालय)

(A Central University established by an Act of Parliament)

कुल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR नपाम :: तेजपुर - 784028 :: असम

k	32w, -3U12 Tube	Each
l	30w, -LHSC 59130699 lamp for Lonon	Each
m	18W, PL-C , 865/2P	Each
n	13w, 2pin, WV-F09, CFL.	Each
0	25w, LHSC 70125699	Each
6	Fluorescent Tube (Philips, Havells, Surya, Bajaj, CG	
а	40W tube	Each
b	36W tube	Each
С	T5 28W tube	Each
7	Incandescent lamp (Philips, Havells, Surya, Bajaj, Crompton Greaves.	
а	40w	Each
b	60w	Each
С	100w	Each
8	HPSV Lamp (Philips, Havells, Cromption Greaves, Bajaj.	
а	70w-E-E27,200-250V	Each
b	150w	Each
С	250w	Each
9	Metal Halide Lamp (Philips, Havells, Crompton Greaves, HPL)	
а	150W	Each
b	250W	Each
С	400W	Each
10	Metal Halide Ballast (Philips, Havells, Bajaj, Crompton Greaves)	
а	150W	Each
b	250W	Each
С	400W	Each
11	Ignitor, HPSV (Philips, Havells, Bajaj, Crompton), short distance	
а	70W—400W	Each
12	Ignitor , M.H, (Philips, Havells, Bajaj, Crompton), short distance	
а	150W—400W	Each
13	Capacitor (Siemens, Havells, Bajaj, Usha)	
а	2.5mfd, 440v paper	Each
b	2.25mfd, 440v Electrolytic	Each
С	2.25mfd, 440v paper	Each
d	2.25mfd,440v Electrolytic	Each
е	4mfd, 440v, paper	Each
f	10mfd, 250v, paper	Each
g	12mfd, 250v, paper	Each
h	15mfd, 250v, paper	Each



(संसद के अधिनियम द्वारा स्थापित केंद्रीय विश्वविद्यालय)

(A Central University established by an Act of Parliament)

कुल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR नपाम :: तेजपुर - 784028 :: असम

i	20mfd, 250v, paper	Each
j	25mfd, 250v, paper	Each
k	15mfd,440v, paper	Each
I	10mfd 440, paper	Each
14	TMC-107/136 LPF Strip Lite, with copper choke, Philips/Havells/Bajaj	Each set
15	PVC Switch board (presto teak, Richa)	
а	4"X4"	
b	4"X6"	Each
С	6"X8"	Each
d	8"X10"	Each
16	PVC Gutka	Pkt
17	Wooden Screw	
а	1/2"	Pkt.
b	1"	Pkt.
С	1 ½"	Pkt.
18	Insulation tape, Steel Grip (0.125mmX18mmX8Mtr)	Roll
<mark>19</mark>	Aluminum Lug	Per pcs
а	25Sq.mm	Per pcs
b	35 Sq.mm	Per pcs
С	50 Sq.mm	Per pcs
d	70 Sq.mm	Per pcs
е	90 Sq.mm	Per pcs
f	120 Sq.mm	Per pcs
g	150 Sq.mm	Per pcs
h	240 Sq.mm	Per pcs
i	300 Sq.mm	Per pcs
20	Ceiling rose (2 plate), Anchor	Each
21	Tube light starter, Philips, Bajaj, Havel's, CG	
а	36w to 80w, FSU type	Each
b	36w to 80w, S2 type	Each
С	18W to 40 W ,F S2 type	Each
22	B .T. C. Wire (Plaza/ Richa/)	
а	1.5 Sqmmx2 core 1.1 KV Aluminum conductor cable.	Roll
b	2.5sqmmx2core, 1.1 KV grade , aluminum conductor cable	Roll
С	4 sqmm x 2 core, 1.1 KV Grade , aluminum conductor cable.	Roll
d	6 sqmm x2core, 1.1 KV grade aluminum conductor cable.	Roll
23	100W Electronic modular fan regulator Crabtree/ MK /Legrand, Schneider)	Each
24	100W Electronic flush type fan regulator Anchor/Havel's)	Each
L		1



(संसद के अधिनियम द्वारा स्थापित केंद्रीय विश्वविद्यालय)

(A Central University established by an Act of Parliament)

कुल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR नपाम :: तेजपुर - 784028 :: असम

25	Ding dong call bell (Anchor)	Each
26	5A, Bell push switch (Anchor)	Each
27	Batten holder (Anchor)	Each
28	Pendent holder (Anchor)	Each
29	250 V /415V,50 Hz, 10 KN, B-series / C series/ B series, single pole / 3Pole/ 4 Pole, MCB, RCCB (Legrand / L&T/M K/ Schneider/ Indo Asian/ Crabtree/HPL make	
а	250 V, 50 Hz,6A to 32A B series, single pole MCB.	Each
b	250 V 50 Hz , 10 KA,6A to 32A C series , single pole, MCB.	each
С	415V,50 Hz, 10 KA, 32 A , C series , 3Pole ,MCB,	Each
d	415V, 50 HZ,10 KA, 32A , C series , 4Pole, MCB.	Each
е	415V,50 Hz,10 KA,40 A, C series, 3Pole, MCB.	Each
f	415 V , 50 Hz ,10KA, 63A, C Series, 3Pole , MCB.	Each
g	415V, 50 Hz, 10 KA, 63A, C series , 4Pole ,MCB.	Each
h	240V/ 415V,50Hz,25A, 300Ma, 4Pole, RCCB	Each
I	415 V , 50 Hz ,10KA, 6-40A, B Series, 2Pole , MCB.	Each
30	BHL-M 261, 125W, HPMV, Ballast, PHILIPS/ Havells/ Bajaj/ Crompton make.	Each
31	HPL-N,125W,HPMV . Lamp, Philips/ Havells/Bajaj/ Crompton make,	Each
32	HPSV Ballast, Philips/ Havells/ bajaj/Crompton make.	
а	70W	Each
b	150W	Each
С	250W	Each
33	Copper Ballast for tube lights & CFL. (FP-L/FTL) Philips/Bajaj/Havells/Crompton make	
а	40W	Each
b	11W	Each
С	18W	Each
34	Electronics, Ballast; Philips/ Havells/Bajaj/ Crompton make	
а	40W	Each
b	PCB for Lonon, 9W, LBHC 68109070. Havel's make	Each
С	PCB for Luna, 2x9W, LHBC 07929061 Havel's make	Each
35	Ballast for T5/ T8/ T12,2X14 W, LHBT 01214040.	Each
36	Distribution Board , Legrand/ Indo Asian/ HPL/Crabtree make.	
а	4 Ways. Single door, SPN	Each



(संसद के अधिनियम द्वारा स्थापित केंद्रीय विश्वविद्यालय)

(A Central University established by an Act of Parliament)

कुल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR नपाम :: तेजपुर - 784028 :: असम

b	6Ways, Single door, SPN	Each
С	8Ways , Single door, SPN	Each
d	4 Ways, TPN, (4+12), Double door.	Each
е	6Ways, TPN, (4+18), Double door.	Each
37	Energy meter (L&T/ HPL/Secure) make	
а	Single phase meter, 5A-30A, Cat no WM 101 BC 5DL0	Each
b	3Phase, 4wire Energy Meter,5A-20A, WM301BC4D20.	Each
С	3 Phase, 4wire, CT operated,5A-10A, WM301BC3C00, Energy meter.	Each
38	CT Coil, L&T/AE/Crompton/Kappa	
а	100/5	1set (3nos)
b	150/5	1set (3nos)
С	300/5	1set (3 nos)
d	800/5	1set (3nos)
39	Time Switch, 0 – 24 hours L&T/ Legrand/MK/ Crabtree make.	Each
40	PVC Casing Capping, Presto Plats/ Richa make.	
а	12.5mm size (2.0Mtrs)	piece
b	19 mm size (2.0 mtrs)	piece
С	25 mm size (2.0 mtrs)	piece
d	32 mm size (2.0 mtrs)	piece
41	Internal/ External/ Bend/ Coupler/ Tee of 12.5mm 19mm, 25mm,32mm	Pkt.
	sizes casing capping	
42	Tube light Holder (Philips, Bajaj, Havel's)	Each
43	6A 3pin Top, Anchor make	Each
44	16A 3Pin top, Anchor make	Each
45	1.1KV grade, 1.5 Sq.MM 3core copper Flexible round cable	Coil of 100Mtr
46	1.1KV grade, 2.5 Sq.MM 3core copper Flexible round cable	Coil of 100Mtr
47	1.1KV grade, 6 Sq.MM 3core copper Flexible flate cable for submersible	Coil of 100Mtr
	pump	
48	36W CFL Street light luminaire complete set	Per set
40	Philips/bajaj/CG	
49	Halogen Lamp, 240V, 50Hz, Philips, Bajaj, Havell's	
a	500W	Each
b	1000W	Each
50	KV grade, P V C/ XLP insulated and PVC Sheath, heavy duty, aluminum	
	conductor , L.T, armored , Under Ground cable , (Havells / Gloster	
	/RPG/Nifco/ Crystal/ Polycap/ Finolex)	



(संसद के अधिनियम द्वारा स्थापित केंद्रीय विश्वविद्यालय)

(A Central University established by an Act of Parliament)

कुल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR नपाम :: तेजपुर - 784028 :: असम

a	6sq mm x 2 core.	Rm
b	6sqmm x 3 core.	Rm
С	6sqmm x4core.	Rm
d	10sqmm x2 core.	Rm
е	10sqmm x3 core.	Rm
f	10sqmm x 4 core.	Rm
g	16sqmm x 4 core .	Rm
h	25sqmm x3.5 core.	Rm
i	35sqmm x3.5 core.	Rm
j	50 sqmm x 3.5 core.	Rm
k	95 sqmm x3.5 core.	Rm
	150 sqmm x 3.5 core.	Rm
m	240 sqmm x 3.5 core.	Rm
n	300 sqmm x3.5 core .	Rm
51	11KV,3 core, High Tension, Stranded, compacted, circular conductor, screened XLPE Insulated and extruded PVC Inner sheathed, galvanized flat Steel strip armored Underground cable.	
а	185 sqmm x3 core.	Rm
b	240 sqmm x3 core.	Rm
52	Five star rated Ceiling fan (Orient/ Usha/ Havel's/ CG	
а	1200mm Sweep	Each
b	1400mm sweep	Each
53	Exhaust fan, Heavy Duty (Orient/ Usha/ Havel's/ CG)	
а	250mm Sweep	Each
b	300mm Sweep,	Each
С	450mm Sweep	Each
54	8SWG GI wire	Kg
55	GI Strip	
	a) 6mmX25mm	Kg
	b) 6mmX32mm	Kg.
	c) 3mmX25mm	Kg
56	11KV Barrel Fuse	
	a) 5A capacity	Each
	b) 15A capacity	Each



(संसद के अधिनियम द्वारा स्थापित केंद्रीय विश्वविद्यालय)

(A Central University established by an Act of Parliament)

कुल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR

नपाम :: तेजपुर - 784028 :: असम

NAPAAM :: TEZPUR - 784028 :: ASSAM

c) 25A capacity d) 30A capacity		Each
d) 30A capacity		
		Each
57 Legrand (Mylinc) modular Sw	tch and socket	Each
a) 6A one way, 250V Switch		Each
b) 6A, 3 Pin, 250V Socket		Each
c) 16A one way , 250V Switch	h	Each
d) 6/16A, 3 pin combine Soc	ket	Each
58 MK make modular switch and	socket	Each
a) 6A switch		Each
b) 6A socket		Each
c) 16A switch		Each
d) 16A socket		Each
59 Philips make Electronic Ba ¾ 14TL5 suitable for 4 lam	llast for 14W TL5 lamp, Type-EB-R AmbiStar	Each
60 18W retrofit LED tube ligh	'	Each
61 Batten for LED tube light		Each
62 Bajaj make Integrated LED	baton, Type-BCLSB 18 WH	Each

Sd/- Joint Registrar Tezpur University