

# (केंद्रीय विश्वविदयालय /A Central University)

- कुलाध्यक्ष का सर्वोत्तम विश्वविद्यालय प्रस्कार,2016 और एनआईआरएफ़ भारत रैंकिंग 2016: नं. 05
  - Visitor's Best University Award, 2016 and NIRF India Ranking 2016: No. 05

# कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजप्र-784028 :: असम / TEZPUR-784028 :: ASSAM

#### **SHORT QUOTATION NOTICE**

TU/11-24/Pur/Qtn/2016-17/4124-A dated:- 09.01.2017

Sealed quotations are invited from reputed manufacturers/authorized dealers/vendors for supply, installation & commissioning etc. of following items required for the Department of Electronics & Communication Engineering, Tezpur University.

#### List of Items with specifications:

SI No.	Item	Specification
1	DC variable Power supply	0-15V,1 Amp.
2	DC Shunt Motor	220V, 250W
3	BLDC motor	48V, 1000W
4	Contactless current sensor	+ 200 amp, Hall Effect
5	Analog AC voltmeter	0-500V, 0-300V, 0-150V
6	Single phase analog wattmeter	50A, 600V, 5-10A,150-300-600V
7	AC analog ammeter	0-5 amp, 0-2 amp, 0-3 amp, 0-10 amp, 0-200Amp
8	Variac	10 Amp, single phase
9	Rheostat	250 ohm, 20 Amp; 100 ohm, 5 Amp.
10	Digital multi meter	4.5 digit
	Digital multimeter	micro-amp facility
	DC milliammeter	0-15 mA, 0-20mA
		20Hz to 1MHz, Resolution: 5 digits, Accuracy of set
	RLC meter(Q-factor)	frequency ±0.005%
11	Single phase transformer	1KVA ,230V
12	Digital Tachometer	Contact type
13	Function Generator	10 MHZ, 2 output channels, and 1 mV p-p to 10 Vp-p
		output amplitude across full bandwidth.
14		10MHz AM/FM Function Pulse Generator –
	Function Generator with AM/FM	Sine, Square, Triangle, Ramp & Pulse outputs;
	generation	30 Vpp signal output, AM Balance, AM Std.,
		FM, Internal Modulation Generator
15	Digital Storage Oscilloscope	20MHz &25 MHZ 500M Sa/s
16	Digital Storage Oscilloscope	100 MHz, 2 analog channels, 2G Sa/S sample rate,
		color LCD display, automatic measurement, math
		& FFT function etc.
17		Digital Storage Oscilloscope (70 MHz, 1GSa/S sample
	Digital Storage Oscilloscope	rate, color LCD display, automatic measurement, math
		& FFT function etc.)
18	Mixed signal oscilloscope	2/4-channels,200 MHz, 1 GS/s, USB3.0
19	Vector Network Analyzer	5Hz - 200MHz, 0.001 dB, 0.005 degree, 1ps, and .001
		Hz resolution
20	Spectrum Analyzer	10K – 1.5 GHz, Bandwidth - 1 kHz
21	Digital Trainer Kit	100mA, 230 V
22	Analog Trainer Kit	350mA, 230 V
23	TDM Pulse Code Modulation	_
	Transmitter Trainer	



# (केंद्रीय विश्वविद्यालय /A Central University)

- कुलाध्यक्ष का सर्वोत्तम विश्वविद्यालय प्रस्कार,2016 और एनआईआरएफ भारत रैंकिंग 2016: नं. 05
  - Visitor's Best University Award, 2016 and NIRF India Ranking 2016: No. 05

# कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

24	TDM Pulse Code Modulation Receiver Trainer	-
25	Delta, Adaptive Delta & Delta Sigma Modulation/Demodulation Trainer	-
26	Data Formatting and Carrier Modulation Transmitter Trainer	-
27	Data Formatting and Carrier Modulation Receiver Trainer	-
28	TDM Pulse Amplitude  Modulation/Demodulation Trainer	-
29	DSB/SSB AM Transmitter Trainer	-
30	DSB/SSB AM Receiver Trainer	-
31	PAM-PPM-PWM Modulation/Demodulation Trainer	-
32	Amplitude Modulation Transmitter Kit	-
33	Amplitude Demodulation Receiver Kit	-
34	Frequency Modulation Transmitter Kit	-
35	Frequency Demodulation Receiver Kit	-
36	FDM Transmitter / Receiver Kit	-
37	Fourier Synthesis Kit	-
38	Filter / Noise And Audio Amplifier Kit	-
39	Noise Power Spectral Density Measurement Kit	-
40	FM/AM super heterodyne Radio Receiver Kits	-
41	Strain Gauge based load cell Trainer Setup	0-100 Kg
42	Inductance Decade Box	10μH-10H (variable from 10μH to 10H in 6 decades)
43	Lag-Lead Compensator study unit	-
44	PID Controller study unit	-
45	Linear Variable Differential Transformer (LVDT) Trainer Kit	-
46	RPM Measurement Trainer Kit	sensor MOC 7811, range 2000 rpm
47	Temperature Indicator (for	,g
	connecting thermocouple terminal etc.)	Six input channel
48	Data Acquisition/Switch Unit	-
49	Type T Thermocouple	(Copper/Constantan); Plain stem (no threads or bushings); Stem Termination with Leads; Thermocouple Grade wire: -270 °C - 370°C; Extension wire: 0 - 200°C)
50	Mercury-in Glass Thermometer	0 – 250°C, division 1°C



# (केंद्रीय विश्वविद्यालय /A Central University)

- कुलाध्यक्ष का सर्वोत्तम विश्वविद्यालय प्रस्कार,2016 और एनआईआरएफ़ भारत रैंकिंग 2016: नं. 05
  - Visitor's Best University Award, 2016 and NIRF India Ranking 2016: No. 05

# कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

51		(LCD display, memory function, water resistant,
	Digital Thermometer	temperature display 3-digit + °C, display in 0.1°C
		increment, power source battery)
52	DC Motor Speed Control Trainer Kit	(PID controller for speed control, LCD for speed and
		voltage display, square wave generator)
53	DC Shunt motor starter	230V DC
54		AC current: 0.01Ato 600A, DC current: 0.1μA ~ 2000
	Tong tester	μΑ, AC voltage: 0.1m V ~ 600 V, DC voltage: 0.001V ~
		600 V, Capacitance : 0.1Nf ~ 3000μF
55	Exhaust fan	4000 CFPM
56	Exhaust fan (4 Inlet 4 Outlet)	3300 RPM, 115 - 230 V
57	Exhaust fan ( 2 Inlet 2 Outlet)	3300 RPM, 115-230V

#### **Software/EDA Tools:**

SI No.	Item	Specification
	Silvaça TCAD	TCAD (Device and Process simulator)UniversityTCAD
1	Silvaco TCAD	OMNI BUNDLEwith 10 interactive tools (3 Years)
	Matlab 10 or higher with optional	For use in teaching and academic research at a degree-
2	toolboxes	granting institution.
	Cadence for VLSI Lab	Circuit simulator for VLSI design (Analog and Digital)
3		Total license=30

## Hand tools/ Components and Consumables:

SI No.	Item	Specification
1	Wire wound potentiometer	10K ohm
2	Multi-strand wire (Havels/finolex/LNT etc.	1.5 mm, 2.5mm
3	Bread board	More than 700 holes
4	3-pin Plug top	6amp
5	Pencil cell	AA, AAA
6	Capacitor (Electrolytic)	1000mf/400V
7	Lamp for load (Bulb)	40W, 60W, 100W
8	Wire cutter and stripper	-
9	Screw driver set	Make: Taparia
10	Pliers	6"
11	Soldering Iron with stand	65W,35W and 25 W
12	Soldering wire	2.527777778
13	9 V Cell	small
14	Diode	40 A ,Body cathode
15	RCCB	single phase, 25 Amp
16	Box for RCCB	-
17	7 Segment Display	-
18	IC	IC 7408, 7432, 7476,7486,7474,7447, 0808,0809, 74283,74161,7485, LM 335, 74192, 4017, 7805, 7905, 7812, 7912, 7815, 7915, 74151, 74109, 4060, 317, 74155, 351
19	Resistance	10E, 33E, 47E, 56E, 100E,150E, 220E, 330E, 470E,560E,



## (केंद्रीय विश्वविदयालय /A Central University)

- कुलाध्यक्ष का सर्वोत्तम विश्वविदयालय पुरस्कार,2016 और एनआईआरएफ़ भारत रैंकिंग 2016: नं. 05
  - Visitor's Best University Award, 2016 and NIRF India Ranking 2016: No. 05

### कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजप्र-784028 :: असम / TEZPUR-784028 :: ASSAM

		820E, 1K, 1.5K, 2.2K, 3.3K, 4.7K, 10K, 22K, 33K, 47K,
		100k,220K, 470K, 330K, 1Meg, 2Meg, 3Meg, 4MEG,
		5Meg
20	Potentiometer	1K,5K,10K,47K,100K,470K
21	Preset	1K,10K,100K, Wire-wound Pot 10K
22	Capacitor (Carbon)	0.1μF,0.01 μF, 0.001 μF, 0.005 μF
23	Capacitor (Electrolytic)	1mF, 10mF, 100mF,470mF
24		100mH, 200mH, 300mH, 400mH, 500 mH
	Variable Inductors	( Ferrite Core, enameled Cu wire)
25	CRO Probes	1X/10X Switchable, BW=200MHz (apprx)
26	Hook up wire	PVC coated
27	Jumper wire	PVC coated
28	LED	Red, Green, Yellow, Blue etc.
29	LDR	(small/big)
30	Zener Diode	5.5V, 6.3V, 7.2V
31	Diode	IN4007, 1N4002, 1N4003, 1N5400, 1N5401, 1N5402,
		1N5403
32	Transistor (BJT)	BC547, BC548, BC557,BC546,BC546B/547B/548B
		BC548C,BC547A/548A
33	MOSFET	2N7000,2N4393E,IRF620PBF, NNM20V6L, NNM20V4J6
34	Fuse	5Amp, 10Amp
35	Push Button Switch	small
36	Fuser pressure roller	for Hp L J P3005 dn
37	Fuser Film	for Hp L J P3005 dn
38	Toner Cartridge Xerox copier	(WC5016)
39	Cartridge Xerox copier	(WC5016)
40	Toner Powder	for Hp L J 1320n, Hp L J 1606dn
41	CAT 5E LAN cable	-

#### **GENERAL TERMS & CONDITIONS:**

- 1. No separate tender paper will be issued from the office; one should only download the specifications/List from the website.
- 2. The rates should be preferably quoted in Indian Rupee and FOR Tezpur University, Napaam basis. Charges for clearing and transportation should be incurred by the supplier.
- 3. Quotations should be accompanied by i) An EMD (in the form of Demand Draft/Call Deposit/TDR) of ₹. 5000/- (Rupees Five Thousand) only drawn/pledged in favor of Registrar, Tezpur University, payable at Tezpur. No request for consideration of earlier deposited EMD will be considered. ii) A non refundable application (quotation) fee of ₹.1000.00 (Rupees One Thousand) only have to be paid only by Demand Draft drawn in favour of Registrar, Tezpur University payable at Tezpur.
- 4. The rates should be exclusive of taxes and applicable tax % should be clearly indicated.
- 5. Applicable levies, surcharge and discounts should be clearly indicated itemwise.
- 6. Quoted rates should be valid at least for a period of 01 year.
- 7. The rates should be quoted along with supporting documents of specifications and technical features and list of users.
- 8. The system must be installed at the laboratory, and after installation a basic training must also be provided by the supplier or their Indian counterpart without any additional costs.
- 9. All the quotations must be accompanied with supporting documents and / or literature.
- 10. Demonstration may be sought from the vendors for authentication of quoted specification.



## (केंद्रीय विश्वविदयालय /A Central University)

- कुलाध्यक्ष का सर्वोत्तम विश्वविदयालय पुरस्कार,2016 और एनआईआरएफ़ भारत रैंकिंग 2016: नं. 05
  - Visitor's Best University Award, 2016 and NIRF India Ranking 2016: No. 05

### कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

- 11. Details of availability of after sales support will have to be furnished. After sales support directly from manufacturer and from Assam (Guwahati / Tezpur) will be preferred.
- 12. The University is exempted from paying Custom and Excise duty.
- 13. Proprietary items should be quoted with sole Manufacturer/Distributorship certificate.
- 14. Warranty/Gurantee period should be specifically mentioned in the quotation.
- 15. No Advance payment will be made. However, for foreign supplier, advance payment will be made either by FDD/Wire Transfer/LC. In such cases 10% Performance Bank Guarantee should be submitted before issuing FDD/Wire Transfer/LC, covering the warranty period.
- 16. Performance Bank Guarantee also has to be submitted for Major equipments of Indian origin, covering the warranty period.
- 17. Items of Foreign origin should have Insurance up to installation on site.
- 18. The University reserves the right to accept or reject any or all the quotations without assigning any reason.
- 19. Quoted price should be inclusive of essential accessories and should be CIF Tezpur University, Tezpur
- 20. Applications for release of EMD should be submitted to the Registrar/ Joint Registrar.
- 21. Apart from the above terms and conditions the University has the right to include any other terms and conditions as and when felt necessary.
- 22. Quotation should be submitted in the DROP BOX placed in the reception of the Administrative Building of the University within 30 days from the issue of the notice. If posted/courierred, should reached within 30 days from the issue of this notice addressed to "The Joint Registrar, Tezpur University". The Quotation Notice No. and date should be clearly superscribed in the the envelope/packet containing the quotation.

Sd/- Joint Registrar Tezpur University