

तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY (केंद्रीय विश्वविद्यालय /A Central University) कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

NOTICE RE-INVITING QUOTATION (NIQ)

ET-NIQ-2540 -DT-08-12-2020

Online Tenders in 02 Bid System (Technical and Financial) are invited from reputed manufacturers/authorized dealers for supply, installation & commissioning etc. of the following items required for DST-FIST Programme, Department of Chemical Sciences, Tezpur University. Those bidders who have submitted their bid in response to our earlier NIQ No. ET-NIQ-2239-DT-16-11-2020 [CPPP eProcurement Tender ID: 2020_TEZU_597602_1] are asked to submit their Bid again without paying the requisite fees if already paid.

Please read the NIQ document carefully before participating. It shall be deemed that submission of bid by the bidder has been done after their careful study and examination of the NIQ terms with full understanding to its implications. Any lack of information shall not in any way relieve the bidder of its responsibility to fulfill its obligations under the Bid.

The University will reject a proposal for award if it determines that the bidder recommended for award has engaged in corrupt or fraudulent practices in competing for, or in executing, the Purchase Order. Fraudulent Practice means a misrepresentation of facts in order to influence a procurement process and includes collusive practice among bidders (prior to or after Bid submission) designed to establish Bid prices at artificial non-competitive levels and to deprive Tezpur University of the benefits of free and fair competition. Corrupt Practice means offering, giving, receiving or soliciting of anything of value, pressurizing to influence the action of a public official in the process of this purchase execution.

For any queries/doubt please contact the Stores & Purchase Section (e-mail: snp@tezu.ernet.in).

Items:

SI. No	Item		ntity	Approximate Unit Price in ₹
1	Single Quardrupole Liquid Chromatography Mass Spectometry	01	L.	85 Lacs

(Detail Technical Specification/Compliance Sheet and BoQ are attached/uploaded separately)

General Information about the NIQ

Last date and time for submission of Bids: 29.12.2020 (2.00 PM)

Date and Time of opening of Bids: 30.12.2020 (2.00 PM)

Place of Opening of Bids: Tezpur University

Ohighst4



(केंद्रीय विश्वविद्यालय /A Central University)

कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजप्र-784028 :: असम / TEZPUR-784028 :: ASSAM

GENERAL TERMS & CONDITIONS:

 No separate tender paper will be issued from the office; one should only download the specifications from the CPP Portal of Govt. of India or the Tezpur University website (www.tezu.ernet.in).

 GST: As per Gol Notification dated 14.11.2017 GST % for Public Funded Research Institution or a University has been reduced to 5% for certain goods and services. Hence, reduced rate of GST shall be paid if applicable on the tendered items. Exemption Certificate will be provided on request.

 Rates: Rates quoted should be on FOR Tezpur University, Napam, Tezpur, Door Delivery Basis, for indigenous items and CIP Tezpur University, Napam, Tezpur or Delivered Duty Paid, for imported item. Failure to comply with this term may lead to rejection of the quotation.

4. Quotations should be accompanied by i) An EMD (in the form of Demand Draft/Banker Cheque) for ₹1,70,000.00 (Rupees One lakh Seventy Thousand) only drawn in favor of Registrar, Tezpur University, payable at Tezpur. No request for consideration of earlier deposited EMD will be considered. |ii) A non-refundable application (quotation/participation) fee of ₹ 5000.00 (Rupees Five Thousand) only must be paid only by Demand Draft/Banker Cheque drawn in favour of Registrar, Tezpur University payable at Tezpur. iii) The original copies of the EMD & Quotation/Participation Fee should be deposited/submitted/reach the office of the envelope superscribed Bids in an before opening of the undersianed "Quotation/Participation Fee and EMD for ET-NIQ-__2540____DT-08-12-2020 addressed to the Assistant Registrar-GA, Tezpur University. Failure to do so may result in rejection of the bid.

5. Exemption: To Bidders who are MSME/NSIC registered may claim exemption from payment of EMD only subject to submission of valid documents in support of their claim. Bidders seeking exemption are asked to clearly mention the category under which exemption is claimed. The category of exemption under MSME/NSIC will be strictly adhered to. Payment of tender fee is a must and is not exempted. However, the University will make provisions for the tender documents free of cost in its website as well as in CPP Portal.

6. The rates should be exclusive of taxes and applicable tax % should be clearly indicated.

7. Validity of Quotation: Quoted rates must be valid for at least 180 days from the last date of submission of quotation.

8. Applicable levies, surcharge and discounts should be clearly indicated item wise.

9. The rates should be quoted along with supporting documents of specifications and technical features and list of users, wherever applicable.

10. The system must be installed at the laboratory wherever applicable, and after installation a basic training must also be provided by the supplier or their Indian counterpart without any additional costs.

11. Literature a must: All the quotations must be supported by technical leaflet/literature and the specifications mentioned in the quotation must be reflected/ supported by such technical leaflet/literature. The model and specifications quoted should invariably be highlighted in the leaflet/literature for easy reference.

12. **Technical Evaluation:** Technical bids will be evaluated and ranked by the award ACCEPT & REJECT. The price bids of ACCEPTED vendors would then be considered by the concerned Purchase Committee of the institute.



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY (केंद्रीय विश्वविद्यालय /A Central University) कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

- 13. After Sales Service Guidelines: In case of imported goods, bidders should clearly state the detailed address, contact number and email ids of 'after sales service centre' preferably in Tezpur/Guwahati, India or any place in Assam without which their offers shall be liable for rejection. Service against any complaint must be provided within 24 hours.
- 14. **Dealership Certificate:** Dealers or Agents quoting on behalf of Manufacturer must upload valid dealership certificate.
- 15. Quality Certificates: Valid certificate to prove that the products are genuine and of International standard, as mentioned below, must be uploaded: (a) Manufacturer's certificate; (b) ISO/ISI certificate.
- 16. **Performance Bank Guarantee:** If PO value is above Rs.5 Lakhs, the successful bidder, to whom the PO is placed, shall furnish an unconditional Performance Bank Guarantee from a scheduled Bank of India, for 10% of the Purchase Order value, alongwith the Bill/Invoice. The format for PBG if required; will be provided on request. In case of foreign purchase, the local Agent shall submit the PBG. Where the PBG is to be necessarily given by a foreign bank it shall be endorsed by its counterpart in India. Validity of the PBG, which shall be effective from the date mentioned therein, shall be warranty period + 2 months before and 3 months after the warranty period.
 - a. By submitting the PBG, the vendor is understood to have guaranteed that,
 - i. The Purchase Order (PO) shall be executed as per terms and conditions mentioned therein.
 - ii. The vendor shall at his/their own cost rectify/replace the defects, if any, during the guarantee period.
 - iii. The guarantee is to the extent of 10% of the order value.
 - b. Condition for invoking PBG: In case of failure to comply with the guarantees above, Tezpur University, Napam, Tezpur may terminate the contract / purchase order in whole or in part and forfeit the PBG. In addition, Tezpur University, Napam, Tezpur, at its discretion, procure upon such terms and in such manner as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier/vendor shall be liable to compensate Tezpur University, Napam, Tezpur for any extra expenditure involved."
- 17. **Genuine Pricing:** Vendor is to ensure that quoted price is not more than the price offered to any other customer in India to whom this particular item has been Universities/IITs/Institutes and other Government Organization.
- 18. Payment:100% payment after successful delivery, installation and commissioning and acceptance by the user. Please note that as per University's norm advance payment is not allowed for indigenous purchase.
- 19. **PENALTY FOR DELAYED DELIVERY**: The date of delivery should be strictly adhered to. In the event of delayed delivery, installation & commissioning, the vendor shall be liable for a penalty deduction as per prevailing rule
- 20. Demonstration may be sought from the vendors for authentication of quoted specification.
- 21. The University is exempted from paying Custom and Excise duty.
- 22. Warranty/Guarantee period should be specifically mentioned in the quotation.
- 23. No Advance payment will be made. However, for foreign supplies, advance payment will be made either by LoC. In such cases 10% Performance Bank Guarantee should be submitted before opening of the LoC.
- 24. Items of Foreign origin should have Insurance up to installation on site.
- 25. The University reserves the right to accept or reject any or all the quotations without assigning any reason.
- 26. Irresponsive/incomplete quote will be rejected.

Oh ofult



(केंद्रीय विश्वविद्यालय /A Central University)

कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

- 27. **Award:** The Final Award will be given to the vendor, selected by the Purchase Committee on the lowest quote basis.
- 28. **Conditional tenders not acceptable:** All the terms and conditions mentioned herein must be strictly adhered to by all the vendors. Conditional tenders shall not be accepted on any ground and shall be rejected straightway. Printed conditions mentioned in the tender bids submitted by vendors will not be binding on Tezpur University.
- 29. Enquiry during the course of evaluation not allowed: No enquiry shall be made by the bidder(s) during the course of evaluation of the tender till final decision is conveyed to the successful bidder(s). However, the Purchase Committee or its authorized representative (Tezpur University) can make any enquiry/seek clarification from the bidders. In such a situation, the agency shall extend full co-operation. The bidders may also be asked to arrange demonstration of the offered items, in a short period notice, as such the bidders have to be ready for the same.

30. Force Majeure:

If the performance of the obligation of either party is rendered commercially impossible by any of the events hereafter mentioned that party shall be under no obligation to perform the agreement under order after giving notice of 15 days from the date of such an event in writing to the other party, and the events referred to are as follows:

- l) any law, statute or ordinance, order action or regulations of the Government of India,
- II) Any kind of natural disaster, and
- III) Strikes acts of the Public enemy, war, insurrections, riots, lockouts, sabotage.

Termination for default: Default is said to have occurred

- a. If the equipment or any of its component is found having poor workmanship, faulty designs, poor performance and bad quality of materials used.
- b. If the supplier fails to deliver any or all of the services within the time period(s) specified in the purchase order or any extension thereof granted by Tezpur University.
- c. If the supplier fails to perform any other obligation(s) under the contract.
- d. Under the above circumstances Tezpur University may terminate the contract / purchase order in whole or in part and forfeit the EMD/PBG as applicable. In addition to above, Tezpur University may at its discretion also take the following actions: Tezpur University may procure, upon such terms and in such manner, as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier shall be liable to compensate Tezpur University for any extra expenditure involved towards goods and services obtained. Besides, the Vice-Chancellor, Tezpur University, reserves the right to impose any other form of penalty as deemed fit including blacklisting of the vendor.

31. Selection criteria:

i. Evaluation Criteria:

To ensure that each bidder has the necessary qualifications and resources to fulfil its obligations under the contract, the following criteria shall be evaluated. The Eligibility, Financial, Experience & Support criteria should be passed before the technical criteria. Technical criteria will be evaluated and ranked by the award of ACCEPT and/or REJECT. Only the ACCEPTED vendors will be considered for price bid. In case a joint venture makes a bid, any one of the members of the joint venture need to be qualified for each of the criteria mentioned below.

ii. Eligibility Criteria:

a. The bidder or the OEM should not be blacklisted by Tezpur University or any other Educational /R&D/ PSU/ Govt organizations. A certificate or undertaking to this effect must be submitted.



(केंद्रीय विश्वविद्यालय /A Central University)

कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

Note: The bidders should provide sufficient documentary evidence to support the eligibility criteria.

iii. Support Criteria:

The Bidder must have experience of supply and maintenance facilities and must have qualified support staff and resident engineers that can provide maintenance support for the hardware and software items concerned and all the items quoted must be covered by these facilities. List of spare items should be mentioned in the quotation. Similarly, all partnerships for maintenance shown as part of the above qualifying criteria must be in existence before the publication of this tender. Documentary proof of this must be provided. The purchaser reserves the right to reject a bid as non- responsive if not satisfied with the level of support as detailed above.

iv. Manufacturer's Authorization Certificate:

The OEM should authorize the bidder to participate in the quote. Original copy of the MAF specific to the NIQ has to be submitted along with the tender.

v. Technical Criteria

Technical bids will be evaluated and ranked by the award Accepted & Rejected. The price bids of Accepted vendors would then be considered by the concerned Purchase Committee of the institute.

32. ADDITIONAL TERMS FOR IMPORTED GOODS:

Following additional terms will be applicable in case of foreign supply:

- a) Rates: Rates quoted should be on **DELIVERED DUTY PAID basis**, with break-ups as per details given in the BOQ,
- b) Exchange rate: Rate of foreign exchange shall be the rate prevailing on the date of Purchase Committee Meeting.
- c) While transshipment will be allowed, part shipment will not be allowed.
- d) Payment: By an irrevocable Letter of Credit at CIF/CIP Kolkata value negotiable through any overseas branch of State Bank of India with unrestricted provision. 90% of payment will be released on receipt of the shipping document and balance 10% after receipt of consignment. LoC will be established on receipt of Order acknowledgment, Proforma Invoice and Performance Bank Guarantee (PBG).
- e) Agency Commission: The percentage of ex-works value to be paid to Indian agent in equivalent Indian currency as agency commission as applicable if any will have to be clearly stated in the quotation.
- f) Country of Origin: While Country of Origin will have to be stated in the Original Invoice for payment through LoC.
- g) LoC Amendment: LoC amendment charges due to mistake on the part of the supplier, if any, will have to be borne by the supplier.
- h) Any query related to Technical Specifications, Instruction to Bidders and Terms & Conditions must be made before 7 working days of last date of submission of bids to Stores & Purchase Section, Tezpur University.
- 33. Applications for release of EMD should be submitted to the Registrar/ Joint Registrar-GA/Assistant Registrar-GA, Tezpur University. A copy of the Bank Mandate/Bank Details as per **Annexure-I** shall have to be enclosed with the letter enabling to release/refund the EMD amount.
- 34. Apart from the above terms and conditions the University has the right to include any other terms and conditions as and when felt necessary.



(केंद्रीय विश्वविद्यालय /A Central University)

कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

INSTRUCTIONS TO BIDDERS FOR ONLINE BID SUBMISSION

Instructions to the Bidders to submit the bids online through the Central Public Procurement Portal for e Procurement at http://eprocure.gov.in/eprocure/app

- 1. Possession of valid Digital Signature Certificate (DSC) and enrollment/registration of the agencies/bidders on the e-Procurement/e-tender portal is a prerequisite for e-tendering.
- 2. Bidder should do the enrollment in the e-Procurement site using the "Online Bidder Enrollment" option available on the home page. Portal enrollment is generally free of charge. During enrollment/registration, the bidders should provide the correct/true information including valid email id. All the correspondence shall be made directly with the agency/bidder through email id provided.
- 3. Bidder need to login to the site through their user ID/ password chosen during enrollment/registration.
- Then the Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by SIFY/TCS/nCode/eMudra or any Certifying Authority recognized by CCA India on eToken/SmartCard, should be registered.
- 5. The DSC that is registered only should be used by the bidder and should ensure safety of the same.
- Agency/Bidder may go through the tenders published on the site and download the required tender documents/schedules for the tenders he/she is interested.
- 7. After downloading / getting the tender document/schedules, the Bidder should go through them carefully and then submit the documents as asked, otherwise bid will be rejected.
- 8. If there are any clarifications, this may be obtained online through the tender site, or through the contact details. Bidder should take into account the corrigendum published before submitting the bids online.
- Bidder then logs in to the site through the secured log in by giving the user id/ password chosen during enrolment/registration and then by giving the password of e-Token/Smartcard to access DSC.
- 10. Bidder selects the tender which he/she is interested in by using the search option & then moves it to the 'my tenders' folder.
- 11. From my tender folder, he selects the tender to view all the details indicated.
- 12. It is construed that the bidder has read all the terms and conditions before submitting their offer. Bidder should go through the tender schedules carefully and upload the documents as asked; otherwise, the bid will be rejected.
- 13. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender documents/schedule and generally, they can be in PDF/xls/rar/jpg/dwf formats. If there is more than one document, they can be clubbed together and can be provided in the requested format. Bidders Bid documents may be scanned with IOO dpi with black and white option. It is advisable that each document to be uploaded through online for the tenders should be less than 2 MB. If any document is more than 2MB, it can be reduced through rar and the same can be uploaded, if permitted. However, if the file size is less than 1 MB the transaction uploading time will be very fast.
- 14. If there are any clarifications, this may be obtained through the site. Bidder should take into account the corrigendum published from time to time before submitting the online bids.
- 15. The Bidders can update well in advance, the documents such as certificates, annual report details etc., under My Space option and these can be selected as per tender requirements and then send along with bid documents during bid submission. This will facilitate the bid submission process faster by reducing upload time of bids.
- 16. Bidder should submit the Tender Fee/EMD as specified in the tender. The original should be posted/couriered/given in person to the Tender Inviting Authority, within the bid submission due date & time for the tender or as indicated in the tender. Scanned copy of the instrument should be uploaded as part of the offer.
- 17. While submitting the bids online, the bidder reads the terms & conditions and accepts the same to proceed further to submit the bid packets.
- 18. The bidder has to select the payment option as offline to pay the Tender Fee/EMD as applicable and enter details of the instruments.
- 19. The details of the DD/ any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise submitted bid will not be acceptable or liable for rejection.

Ohrafyk



(केंद्रीय विश्वविद्यालय /A Central University) कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

20. The bidder has to digitally sign and upload the required bid documents one by one as indicated. Bidders to note that the very act of using DSC for downloading the bids and uploading their offers shall be deemed to be a confirmation they have read all sections and pages of the bid document including General conditions of contract without any exception and have understood the entire document and are clear about the requirements of the tender requirements.

21. The bidder has to upload the relevant files required as indicated in the cover content. In case of any irrelevant files, the bid will be rejected.

22. If the price bid format is provided in a spread sheet file like BoQ_xxxx.xls, the rates offered should be entered in the allotted space only and uploaded after filling the relevant columns. The Price-bid BOQ template must not be modified/replaced by the bidder; else the bid submitted is liable to be rejected for this tender.

23. The bidders are requested to submit the bids through online e-tendering system to the Tender Inviting Authority (TIA) well before the bid submission end date & time (as per Server System Clock). The TIA will not be held responsible for any sort of delay or the difficulties faced during the submission of bid online by the bidders at the eleventh hour.

24. After the bid submission (i.e. after Clicking "Freeze Bid Submission" in the portal), the acknowledgement number, given by the system should be printed by the bidder and kept as a record of evidence for online submission of bid for the particular tender and will also act as an entry pass to participate in the bid opening date.

25. The time settings fixed in the server side & displayed at the top of the tender site, will be valid for all actions of requesting, bid submission, bid opening etc., in the e-tender system. The bidders should follow this time during bid submission.

26. All the data being entered by the bidders would be encrypted using PK! encryption techniques to ensure the secrecy of the data. The data entered will not viewable by unauthorized persons during bid submission & not be viewable by any one until the time of bid opening.

27. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers' public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.

28. The confidentiality of the bids is maintained since the secured Socket Layer 128-bit encryption technology is used. Data storage encryption of sensitive fields is done.

29. The bidder should logout of the tendering system using the normal logout option hand comer and not by selecting the (X) exit option in the browser.

30. For any queries regarding e-tendering process, the bidders are requested to contact as provided in the tender document. Parallelly for any further queries, the bidders are asked to contact over phone: 180030702232 or send a mail over to cppp-nic@nic.in.

Assistant Registrar-GA Tezpur University

SI no.	Required Specifications	Quoted	Complied	If "Yes" in the	Deviation, if
		specification	whether	Previous column	any, to be
					indicated in
	_		"Yes" or	Write in details to	clear terms
			"No"	explain how it is	
				"Yes". Just simple	
				copying of the	
				required	
				specification is	
				strongly	
				discouraged.	
				Moreover, the	
				bidder must	
	A _ =			mention the	
				line(s)/paragraph(s)	
				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
				/ pageno(s) of the	
				technical data	
				sheet/instruction	
				manuals/literature	
				(which ever	
				applicable) wherein	
				the compliance is	
				clearly mentioned.	
	Mass Spectrometer				
	. Mass Barray 10 to 2000 m/z or				
	 Mass Range: 10 to 2000 m/z or better. 				
	The instrument must be	5	=		
	equipped with combined ESI				
	and APCI ionization source.				
	The ionization must be done				
	both in positive & negative				
	modes and polarity switching				
	time should be ≤25 ms.				
	 Scan speed: 10,000 Da/Second 				
	better.			P*	
	 The cleaning of the source 				
	should be done without				
	venting the system and the				
	vacuum must remain intact				
	during the cleaning.				
	An atmosphere pressure solids An atmosphere (ASAR) for the				
	analysis probe (ASAP) for the		*		
	direct sampling and				

lig

Ohr aprilet

introduction of solids and liquids is preferred as an additional source. • An efficient turbo molecular vacuum jump must be provided for making the instrument sensitive. • Sensitivity: SIR ESI-ve 1 pg on column reserpine should give S/N 1001 or better. • Operating mode: full scan MS, Select lan Recording (SIR), Simultaneous full scan and SIR along with matrix monitoring to be performed in a single run. • Standari auto-tuning is required (compulsory). Manual tuning should also be possible • The instrument should have photomultiplier (or equivalent) detector with minimum 5 years warranty. Liquid chromatographic System • Both the Liquid Chromatography (LC) and the Quadruple Mass Spectrometer (MS) must be from same manufacturer. • LC System should have quaternary yourne capable of high pressure mixing and delivering solvents. 5000 psi or higher diperating pressure for both the solvent and sample management functions • LC system should Have integrated high efficiency vacuum degasser. • Flow rate: 0.001 to 10 mL/min or better. • Effective delay volume should be less than 650 µl or better, independent of system backpressure. • The system should have an integrated/inbuilt autor-sampler				
warranty. Liquid chromatographic System Both the Liquid Chromatography (LC) and the Quadruple Mass Spectrometer (MS) must be from same manufacturer. LC System should have quaternary pump capable of high pressure mixing and delivering solvents. 5000 psi or higher operating pressure for both the solvent and sample management functions LC system should Have integrated high efficiency vacuum degasser. Flow rate: 0.001 to 10 mL/min or better. Effective delay volume should be less than 650 µl or better, independent of system backpressure. The system should have an	liquids is preferred as an additional source. An efficient turbo molecular vacuum pump must be provided for making the instrument sensitive. Sensitivity: SIR ESI+ve 1 pg on column reserpine should give S/N 100:1 or better. Operating mode: full scan MS, Select Ion Recording (SIR), Simultaneous full scan and SIR along with matrix monitoring to be performed in a single run. Standard auto-tuning is required (compulsory). Manual tuning should also be possible The instrument should have photomultiplier (or equivalent)			
Liquid chromatographic System Both the Liquid Chromatography (LC) and the Quadruple Mass Spectrometer (MS) must be from same manufacturer. LC System should have quaternary pump capable of high pressure mixing and delivering solvents. 5000 psi or higher operating pressure for both the solvent and sample management functions LC system should Have integrated high efficiency vacuum degasser. Flow rate: 0.001 to 10 mL/min or better. Effective delay volume should be less than 650 µl or better, independent of system backpressure. The system should have an				
Chromatography (LC) and the Quadruple Mass Spectrometer (MS) must be from same manufacturer. LC System should have quaternary pump capable of high pressure mixing and delivering solvents. 5000 psi or higher operating pressure for both the solvent and sample management functions LC system should Have integrated high efficiency vacuum degasser. Flow rate: 0.001 to 10 mL/min or better. Effective delay volume should be less than 650 µl or better, independent of system backpressure. The system should have an				
 Flow rate: 0.001 to 10 mL/min or better. Effective delay volume should be less than 650 μl or better, independent of system backpressure. The system should have an 	Chromatography (LC) and the Quadruple Mass Spectrometer (MS) must be from same manufacturer. • LC System should have quaternary pump capable of high pressure mixing and delivering solvents. 5000 psi or higher operating pressure for both the solvent and sample management functions • LC system should Have integrated high efficiency			
backpressure. The system should have an	 Flow rate: 0.001 to 10 mL/min or better. Effective delay volume should be less than 650 μl or better, 			
	backpressure.The system should have an	s		1 7 7

Ohreling.

capable of holding approx. 110 vials (1.56 to 2ml) or more. The auto-sampler should have cooling facility up to 5°C or better and heating up to 40 °C or better. The system should incorporate DAD/PDA/UV-Vis detector with 190 to 600 nm or higher wavelength range. Light source, preferably single deuterium lamp. Suitable flow cell design for avoiding total internal reflection. C18 Column with the pH range 1 to 12: 2Nos.				
Operating Software	jr		370	
 All the necessary software for acquisition and processing with updated licensing key, Software Starter Kit and bundles should be provided. Software must be compatible with LC/MS data. Data can be full scan, SIR/SIM. Data acquisition, peak integration, calibration, quantification, calculations must be fully automated. Technology for system optimization and status monitoring, technology should monitor and perform the following parameter: System parameter checking alerts Integrated sample/calibrant delivery system and programmable divert valve Automated mass 				



Automated sample tuning Automated SIR method development LC/MS system checks-automated on-column performance test. Workstation & Accessories A workstation should be provided for controlling the mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: Memory/ RAM: Minimum 64 GB or higher Hard disk: 10 TB or better Operating system: Windows 10 4.0 GHz Processor 26inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on the computer provided.						
Automated SIR method development - LC/MS system checks-automated on-column performance test. Workstation & Accessories A workstation should be provided for controlling the mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 2 66inch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on						
development - LC/MS system checks- automated on-column performance test. Workstation & Accessories A workstation should be provided for controlling the mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 2 Ginch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on	1	1 27			_	
- LC/MS system checks- automated on-column performance test. Workstation & Accessories A workstation should be provided for controlling the mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 2 Ginch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on						
automated on-column performance test. Workstation & Accessories A workstation should be provided for controlling the mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: Memory/ RAM: Minimum 64 GB or higher Hard disk: 10 TB or better Operating system: Windows 10 4.0 GHz Processor 2 6inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on	1 1		*			
performance test. Workstation & Accessories A workstation should be provided for controlling the mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 26inch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on	I I	,				
Workstation & Accessories A workstation should be provided for controlling the mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 26inch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on						
A workstation should be provided for controlling the mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: Memory/ RAM: Minimum 64 GB or higher Hard disk: 10 TB or better Operating system: Windows 10 4.0 GHz Processor 26inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on		performance test.				
provided for controlling the mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: Memory/ RAM: Minimum 64 GB or higher Hard disk: 10 TB or better Operating system: Windows 10 4.0 GHz Processor 26inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on	Workstation & A	Accessories				
provided for controlling the mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: Memory/ RAM: Minimum 64 GB or higher Hard disk: 10 TB or better Operating system: Windows 10 4.0 GHz Processor 26inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on	A works	tation should be				
mass spectrometer, the LC and the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 26inch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on		The state of the s				
the auto-sampler with data acquisition & for data processing and analysis with minimum following specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 26inch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on						
acquisition & for data processing and analysis with minimum following specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 26inch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on						
processing and analysis with minimum following specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 26inch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on	0.0000	The same of the sa				
minimum following specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 26inch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on				_		
specification: • Memory/ RAM: Minimum 64 GB or higher • Hard disk: 10 TB or better • Operating system: Windows 10 • 4.0 GHz Processor • 26inch LCD monitor or bigger • 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on		(F)				
 Memory/ RAM: Minimum 64 GB or higher Hard disk: 10 TB or better Operating system: Windows 10 4.0 GHz Processor 26inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on 		1.000				
GB or higher Hard disk: 10 TB or better Operating system: Windows 10 4.0 GHz Processor 26inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on						
 Hard disk: 10 TB or better Operating system: Windows 10 4.0 GHz Processor 26inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on 	1 1					
 Operating system: Windows 10 4.0 GHz Processor 26inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on 	-30000000000000000000000000000000000000					
 4.0 GHz Processor 26inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on 	5.77 2 55.5					
 26inch LCD monitor or bigger 1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on 		1077				=
1 Laser jet printer. All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on						
All hardware and software including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on						
including drivers, monitor, device interfaces cards/network must be preinstalled and preconfigured on						
interfaces cards/network must be preinstalled and preconfigured on						
preinstalled and preconfigured on	1.70	1930				
	interfaces ca	ards/network must be				
the computer provided.	preinstalled	and preconfigured on				
	the compute	er provided.				



Instrument and Software Qualification			i i
Service & Certification			
 The instrument must be "Qualified" along with the Software. Necessary reagents along with Documents must be provided for valid "Instrument Qualification, operational & Performance Qualification" of the instrument along with Specification check during the installation. The vendors must quote the Qualification kits with defined list of items along with valid Cat. No./Product ID etc. During installation and qualification, Instrument should perform as per submitted specification in the 			
presence of user.	_		
Nitrogen Generator with in-built			
compressor			1 -
 A suitable imported noise free nitrogen gas generator with inbuilt compressor filters, or any other accessory required for functioning of system, should be supplied to take care gas requirements for ionization source. The maximum gas output pressure must be 100 psi or better. 	AC.	ANT	
 The maximum outlet flow rate must be 24L/min or better. 			



LIDC Mannership			1	
UPS Warranty:				
6 2 11	1. 40 10 14 1100			
	online 10 KVA UPS			
	our back up for the			
	e system.			
	y of the instrument			
	th Nitrogen generator			
	3 (Three) Years			
compret	nensive warranty from			
	installation at Tezpur			
Universi	ty.			
Sonicator:				
 Sonicato 	or of 3 litre or higher			
capacity	should be offered with		*	
the syste	em: 1 number			
Spare pa	rts of the LC-MS			
	nust be available			
	s expected lifespan.			
	/regents and required			
	or successful			
	on must be provided.			
11.4.	artup kit should be	+	- 3	
	as standard. All			
	traceable standards			
	calibration and tuning,		_	
171111111111111111111111111111111111111	ation should be			
	I. Standard Tool kit			
	e provided for			
	ent maintenance.			
	vials (500 Nos) should			
be provid				
	repository (including			
	products) for data			
	son and free update for			
10 years.				
	to and installation at			
	e (Tezpur University,			
	Assam-784028) must			
	without involving			=
	t. A one week (at			
	neral entry-level	=2 =		
	cum-workshop and		Q.Q.	
	level training-cum-		(d)	14
	p must be arranged at			
	s site by the vendor on			
 experime	ental and data analysis			



	part, with no extra cost	i i	s_	
	involved.			
	The vendor must submit at			
	least 5 or more, latest			
	government customer details/			
	PO copies / reference of the			
	same quoted model supplied in			
	india.			
	 The model offered by the 			
	vendor should have capability			
	to demonstrate the above			
	mention parameter in presence			
	of user.			
-	 THE QUOTED PRICE MUST BE 			
	IN INDIAN RUPEES (INR) UP TO			
	TEZPUR UNIVERSITY.			
	Compliance statement of technical			
-	specifications:			
	141			
	 Point-to-point commentary on 			
	the required specifications	,		
	must be provided. Each quoted			
	technical specification must be			
	supported by proper document			
	(technical brochure/technical			
	data sheet/instruction			
	manuals/literature)			
	 The claim of the technical 			
	specifications made by the			
	supplier should be available in			
	supplier's website.			
	 If the bidder is unable to show 			
	the compliance of specified			
	points in the			
	tender/compliance statement			
	either in the brochure or			
	technical data sheet or			
	instruction manuals, the same			1
	compliance statement will not			
	be considered as authentic and			
	hence will be rejected.			
	 The bidder must provide the 	9	Gra-	
	compliance statement of			-
	technical specifications in the			
	following format.			
	10.10.1.1.1.0	1		

Organit

Tezpur University Napaam, Tezpur



FORMAT FOR BANK DETAILS OF VENDOR

2
±×

(Signature of vendor) With Seal

Bank details in the given format may be submitted along with a <u>Cancelled</u> Cheque/photocopy of the Bank Passbook (only for the first time) so as to process the payment electronically.