

### (केंद्रीयविश्वविद्यालय/A Central University)

### कुलसचिवकाकार्यालय/OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम/ TEZPUR-784028 :: ASSAM

### **NOTICE INVITING BID**

## TU/GeM/BoQ-Bid (110-A)/2021-22/2399 Date 11-11-2022

**Bids** in **02 Bid System (Technical and Financial)** are invited on **GeM** from reputed manufacturers/authorized dealers/ Service Providers for Supply of **Equipment** for **CPRI RSoP Project**, Department of Electrical Engineering, Tezpur University.

Please read the Bid document carefully before participating. It shall be deemed that submission of bid by the bidder has been done after their careful study and examination of the Bid terms with full understanding to its implications. Any lack of information shall not in any way relieve the bidder of its responsibility to fulfill its obligations under the Bid.

The University will reject a proposal for award if it determines that the bidder recommended for award has engaged in corrupt or fraudulent practices in competing for, or in executing, the Purchase Order. Fraudulent Practice means a misrepresentation of facts in order to influence a procurement process and includes collusive practice among bidders (prior to or after Bid submission) designed to establish Bid prices at artificial non-competitive levels and to deprive Tezpur University of the benefits of free and fair competition. Corrupt Practice means offering, giving, receiving or soliciting of anything of value, pressurizing to influence the action of a public official in the process of this purchase execution.

For any queries/doubt please contact the Stores & Purchase Section (e-mail: <a href="mailto:snp@tezu.ernet.in">snp@tezu.ernet.in</a>) or in the email id mentioned in the GeM Bid.

### **GENERAL TERMS & CONDITIONS:**

- 1. Bidders can discuss with ENDUSER within two days of publication of tender for technical understanding.
- 3. Bidders/Tenderers are to ensure that they are GST compliant and that their quoted tax structure/rates are as per GST law. The rates should be exclusive of taxes and applicable tax percentage should be clearly indicated. Financial/Price Bid format where taxes cannot be mentioned separately, in such cases, the percentage of taxes applicable should be mentioned in the Technical Bid document.
- 4. Irresponsive/incomplete quote will be rejected.
- No Advance payment will be made.
- 6. Payment will be made on successful completion of the job and on submission of satisfactory job completion certificate from concerned authority/officials.

Place le Pile



### (केंद्रीयविश्वविद्यालय/A Central University)

## कुलसचिवकाकार्यालय/OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम/ TEZPUR-784028 :: ASSAM

- Validity of Quotation: Quoted rates must be valid for at least 90 days from the last date of submission of quotation.
- Conditional tenders not acceptable: All the terms and conditions mentioned herein must be strictly adhered to by all the vendors. Conditional tenders shall not be accepted on any ground and shall be rejected straightway. Printed conditions mentioned in the tender bids submitted by vendors will not be binding on Tezpur University.
- 9. Enquiry during the course of evaluation not allowed: No enquiry shall be made by the bidder(s) during the course of evaluation of the tender till final decision is conveyed to the successful bidder(s). However, the Purchase Committee or its authorized representative (Tezpur University) can make any enquiry/seek clarification from the bidders. In such a situation, the agency shall extend full co-operation. The bidders may also be asked to arrange demonstration of the offered items, in a short period notice, as such the bidders have to be ready for the same.

### Termination for default: Default is said to have occurred.

- a. If the item or any of its component is found having defective parts, poor workmanship, and bad quality of materials used.
- b. If the supplier fails to deliver any or all of the services within the time period(s) specified in the purchase order or any extension thereof granted by Tezpur University.
- c. If the supplier fails to perform any other obligation(s) under the contract.
- d. Under the above circumstances Tezpur University may terminate the contract / purchase order in whole or in part and forfeit the EMD/PBG as applicable. In addition to above, Tezpur University may at its discretion also take the following actions: Tezpur University may procure, upon such terms and in such manner, as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier shall be liable to compensate Tezpur University for any extra expenditure involved towards goods and services obtained. Besides, the Vice-Chancellor, Tezpur University, and reserves the right to impose any other form of penalty as deemed fit including blacklisting of the vendor.

#### 10. Selection criteria:

### i. Evaluation Criteria:

To ensure that each bidder has the necessary qualifications and resources to full fill its obligations under the contract, the following criteria shall be evaluated. The Eligibility, Financial, Experience & Support criteria should be passed before the technical criteria. Technical criteria will be evaluated and ranked by the award of ACCEPT and/or REJECT. Only the ACCEPTED vendors will be considered for price bid. In case a joint venture makes a bid, any one of the members of the joint venture need to be qualified for each of the criteria mentioned below.

#### ii. Eligibility Criteria:

a. The bidder or the OEM should not be blacklisted by Tezpur University or any other Educational /R&D/ PSU/ Govt organizations. A certificate or undertaking to this effect must be submitted.

#### iii. Technical Criteria

Technical bids will be evaluated and ranked by the award Accepted & Rejected. The price bids of Accepted vendors would then be considered by the concerned Purchase Committee of the institute.

### iv. Competence Criteria

For the compatibility and testing competence, a single supplier should bid for all the items and should be capable to supply all the items together.





(केंद्रीयविश्वविद्यालय/A Central University)

# कुलसचिवकाकार्यालय/OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम/ TEZPUR-784028 :: ASSAM

## **Delivery Period**

11. The job should be completed within  $\underline{90~\text{Days}}$  of the award of BID without any deviation.

Assistant Registrar-GA, Tezpur University



(केंद्रीयविश्वविद्यालय/A Central University)

## क्लसचिवकाकार्यालय/OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम/ TEZPUR-784028 :: ASSAM

## <u>Technical Specifications cum Compliance Report</u> (To be submitted on Company's/Firm's Letterhead Signed and Sealed)

#### Items

Item	Items:			
SL No	Parameter	Description		
1	LCR meter	<ul> <li>Technical Specification:</li> <li>Tweezer type</li> <li>Should be capable of in-circuit testing</li> <li>Test frequency: 100Hz, 120Hz, 1kHz, 10kHz</li> <li>Test signal level: 0.5Vrms +/- 5% sine wave</li> <li>Source impedance: 100Ω ± 1%</li> <li>L: 100 nH to 1 H</li> <li>C: 0.1 pF to 5 mF</li> <li>R: 20 mΩ to 10 MΩ</li> <li>Basic Accuracy: Resistance – 0.2 %, Inductance – 0.4 %, Capacitance – 0.2 %</li> <li>Bright OLED display</li> <li>Gold plated leads for better measurement</li> <li>Rechargeable through USB</li> <li>3.7V, 180 mAH internal lithium-ion polymer battery</li> <li>Automatic Mode selection of L,C,R as per component under test</li> <li>Auto Power off for battery saving</li> </ul>		
2	Variable Inductor	Technical Specification:  • 100uH-to-1 m H, at 100kHz  • Current 35A  • ESR: < 5mOhm		
3	Digital Storage Oscilloscope	Technical Specification:  Display: 17,8 cm (7") WVGA-TFT-LCD  Resolution: 800 × 480 Pixel  Interface -USB-host for i.e. USB sticks -USB-Device for a PC connection or USB Pict-Bridge printer interface -LAN for network connectivity (LXI compliant) -GPIB (IEE-488, General Purpose Interface Bus) using the optional USB-GPIB Module -Trigger- and Calibration output  Channels: 2  Real-time sample rate: 1 GSa/s realtime Bandwidth: 200 MHz  Sampling Modes: Normal, average, peak detect Mathematics user defined, FFT (Fast Fourier Transform)  FFT windows Rectangle, Hanning, Hamming, Blackman  DC/AC Coupling, CAT I 300 Vrms, CAT II 100 Vrms Memory: max. 24M Mpts (1 Channel), max. 12M Mpts.		





(केंद्रीयविश्वविद्यालय/A Central University)

# कुलसचिवकाकार्यालय/OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम/ TEZPUR-784028 :: ASSAM

Digital Dayson Analyses // aggregation	<ul> <li>(2 Channels)</li> <li>Time Base: 2 ns/div – 50 s/div</li> <li>Sensitivity range: 1mV/div – 10 V/div</li> <li>Trigger function: Edge, Pulse, Slope, Video, Pattern, RS232/UART, I²C, CAN, USB, FlexRay</li> <li>Video Trigger mode: PAL, NTSC, SECAM, 480P, 576P HDTV standards</li> <li>Auto measurement: Vpp, Vamp, Vmax, Vmin, Vtop, Vbase, Vavg, Vrms, Preshoot, Overshoot, Frequency, Period, Rise Time, Fall time, Positive Width, Negative Width, Positive, Duty Cycle, Negative Duty Cycle, Delay1-2 (rise), Delay1-2 (fall), Phase1-2 (rise), Phase1-2 (fall)</li> <li>Masked Pass/Fail-Tests: Pass/fail testing can be used for troubleshooting in various environments like communication networks.</li> </ul> Technical Specification:
Digital Power Analyser/Logger	
	<ul> <li>Three Phase AC/DC Benchtop Digital Power Analyser/Logger</li> <li>Measurement Bandwidth upto 100kHz</li> <li>Measurement Type: DC, RMS, Mean</li> <li>Fundamental measurement up to 50<sup>th</sup> order</li> <li>Future option for current measurement up to 200A</li> <li>100 ms logging Interval</li> <li>DC, Single-phase, three-wire (1P3W); three-phase, three-wire (3P3W); three-phase four-wire (3P4W); or three-voltage, three-current (3V3A).</li> <li>Input 0.1Hz to 100 kHz, 20 A, 600V</li> <li>Communication: USB</li> <li>Data-logging &amp; Waveform display data in. csv format</li> <li>Graphical measurement view</li> <li>PC Communication software</li> </ul>
	Technical Specification:
Software Programmer and	<ul> <li>32bit DSP Microcontroller</li> <li>Precision Floating-Point Architecture with at-least 800 MIPS</li> <li>At least 256 kB Flash Memory</li> <li>12 Bit ADC</li> <li>16 High-Resolution PWM</li> <li>8 Channel Sigma Delta Demodulator</li> <li>Integrated CLB</li> <li>Microcontroller Experimental set-up for all Peripherals, USB, CAN and Isolated Debugging Interface with at least 3kV voltage Isolation</li> <li>Integrated Development Environment</li> <li>More than 6 DMA Channel</li> <li>More than 40 GPIO channels</li> </ul>
	DSP Board, Programmer and





## (केंद्रीयविश्वविद्यालय/A Central University)

## क्लसचिवकाकार्यालय/OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम/ TEZPUR-784028 :: ASSAM

Annexure-I

### (To be submitted on Company's/Firm's Letterhead signed and sealed)

### **Bid-Security Declaration Form**

Date: Bid No
To (insert complete name and address of the purchaser)
I/We. The undersigned, declare that:
I/We understand that, according to your conditions, bids must be supported by a Bid Security Declaration.
I/We accept that I/We may be disqualified from bidding for any contract with you for a period of three year from the date of notification if I am /We are in a breach of any obligation under the bid conditions, because I/We
(a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or
(b) having been notified of the acceptance of our Bid by the purchaser during the period of bid validity (i) fail or reuse to execute the contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the Instructions to Bidders.
I/We understand this Bid Securing Declaration shall cease to be valid if I am/we are not the successful Bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii) thirty days after the expiration of the validity of my/our Bid.
Signed: (insert signature of person whose name and capacity are shown) in the capacity of (insert legal capacity of person signing the Bid Securing Declaration).
Name: (insert complete name of person signing he Bid Securing Declaration)  Duly authorized to sign the bid for an on behalf of: (insert complete name of Bidder) Dated
onday of(insert date of signing)

Corporate Seal (where appropriate)

(Note: In case of a Joint Venture, the Bid Securing Declaration must be in the name of all partners to the Joint Venture that submits the bid).